


Dual-Hinge Power Module Options




Product Highlights:

Watson's unique two-way access to meeting and conference table power and data. Featuring a proprietary dual-hinge lid, the In-surface power module is grain-matched to the worksurface and houses ample space inside for device remote storage and excess cables.




Inner Height



Inner Width / Depth




Cord Passthrough



In-Surface Power Module Options

Dual-hinge Full

- 3 Power
- 2 USB-C
- 1 USB-A
- 1 HDMI
- 1 CAT6E




Dual-hinge Basic

- Commercial 4 power plug strip
- 1 HDMI
- 1 CAT6E
- 10' Cord




Dual-hinge Open (no power)

- 1 HDMI
- 1 CAT6E



Double the power access with Dual-hinge XL



Product Line Specifics:

C9 Power Locations

Single Surface



Two-piece Top




Three-piece Top



- In-surface power is only available on Round Occasional Tables and Meeting Tables with a minimum depth of 36"
- Dual-hinge XL is available on square and rectangular Occasional Tables & all C9 Meeting Tables with a minimum depth of 36" or a minimum width of 60"
- Of the Dual-hinge XL options, can only accommodate Dual-hinge Full or Dual-hinge Open
- Dual-hinge XL is not available on round Occasional Tables

Product Line Specifics:

Have Social Tables Power Locations



- In-surface power is only available on Haven Social Tables with a minimum depth of 36"
- Of the Dual-hinge XL options, can only accommodate Dual-hinge Full or Dual-hinge Open
- Each separate surface that makes up multi-piece tops may be specified with a power unit at the center

Miro Power Locations




- In-surface power is available on Miro Meeting Tables and Mobile Miro Meeting Tables with a minimum depth of 30"
- Each separate surface that makes up multi-piece tops may be specified with a power unit at the center
- In-surface power is only available on Miro Meeting Tables with a minimum depth of 36" and a minimum width of 60"

Tia Power Locations




- Tia Team accommodates standard Dual-hinge power options, not Dual-hinge XL power options
- Centered power module if not available in two-piece tables
- Dual-hinge XL is available on all Tia Conference Table shapes with a minimum width of 84" and can accommodate one Dual-hinge XL unit per top piece

Tonic Conference Power Locations




Tonic Tables Power Locations




- Dual-hinge power options available on round and rectangular Tonic Conference Tables and Tonic Tables
- Dual-hinge XL is available in select Tonic Tables (all except 36"x48" rectangular and 48"x48" round)

Statement of Line

In-Surface Dual-Hinge Power Units



Single Unit



Double Unit: XL

POWER/DATA

FULL: 3 pwr, 2 USB, 1 HDMI, 1 CAT6E / 144" cord

Full Chicago: 3 pwr, 2 USB, 1 HDMI, 1 CAT6E / 108" cord

BASIC: Power Strip 4 pwr, 1 HDMI, 1 CAT6E, 10' Cord

OPEN: 1 HDMI, 1 CAT6E

XL Full : 6 pwr, 4 USB, 1 HDMI, 1 CAT6E / 144" cord

XL Full Chicago: 6 pwr, 4 USB, 1 HDMI, 1 CAT6E / 108" cord

XL Open: 1 HDMI, 1 CAT6E

MODEL NUMBER

WATF

WATC

WATS

WATO

WATXLF

WATXLC

WATXLO